

**To:** Ostrander, David[Ostrander.David@epa.gov]; Buhl, Rick[Buhl.Rick@epa.gov]  
**Cc:** Mills, Bethany[Mills.Bethany@epa.gov]; Sandoval, Joni[Sandoval.Joni@epa.gov]  
**From:** Braun, Richard  
**Sent:** Tue 9/22/2015 7:52:45 PM  
**Subject:** FW: EPS81302, TO 77, GKM, Subcontract for interim water treatment plant - Award

All,

Subcontractor has been notified.

Richard Braun

EPA Region 8

Contracting Officer

303-312-6380

braun.richard@epa.gov

**From:** Marilyn Smith [mailto:m.smith@erllc.com]  
**Sent:** Tuesday, September 22, 2015 1:20 PM  
**To:** Braun, Richard  
**Subject:** RE: EPS81302, TO 77, GKM, Subcontract for interim water treatment plant - Award

Richard:

ER has notified Alexco Environmental Group (US) Inc. their firm was the awardee under this procurement.

Marilyn

**From:** Braun, Richard [mailto:Richard.Braun@epa.gov]  
**Sent:** Tuesday, September 22, 2015 10:06 AM

**To:** Marilyn Smith <m.smith@erllc.com>  
**Cc:** Sandoval, Joni <Sandoval.Joni@epa.gov>; Way, Steven <way.steven@epa.gov>;  
Ostrander, David <Ostrander.David@epa.gov>; Williams, Laura <williams.laura@epa.gov>;  
Mills, Bethany <Mills.Bethany@epa.gov>; Buhl, Rick <Buhl.Rick@epa.gov>  
**Subject:** RE: EPS81302, TO 77, GKM, Subcontract for interim water treatment plant - 1 of  
multiple emails

Marilyn,

I concur with the proposed subcontract to Alexco Environmental Group (US) Inc. in the amount of \$ 2,673,200.00. Please note that the work covered by the subcontract is considered construction; therefore, David Bacon Act applies, including General Decision No. C0150022. I intend to add the General Decision to the task order in the next mod.

Richard Braun

EPA Region 8

Contracting Officer

303-312-6380

[braun.richard@epa.gov](mailto:braun.richard@epa.gov)

**From:** Marilyn Smith [mailto:m.smith@erllc.com]  
**Sent:** Monday, September 21, 2015 4:58 PM  
**To:** Braun, Richard  
**Cc:** Sandoval, Joni; Way, Steven  
**Subject:** RE: EPS81302, TO 77, GKM, Subcontract for interim water treatment plant - 1 of  
multiple emails

Richard:

ER is requesting consent for the interim water treatment plan at the Gold King Mine Release site (TO 77) in the amount of \$2,673,200.00 for Alexco Environmental Group (US) Inc.

Attached please find the required supporting back-up.

&#0;. Memo of Explanation

&#0;. Att. A. – Bid Analysis

&#0;. Att. B. – Bid Data Received (*this is being sent separately due to the volume of files*)

&#0;. Att. C. – Bid Data Issued via RFP

&#0;. Att. D. – Excluded Parties Statement with Executed Reps & Certs

&#0;. Att. E. – Purchase Order Request

Please feel free to contact me should you have any questions.

Thanks,

Marilyn

**From:** Braun, Richard [<mailto:Braun.Richard@epa.gov>]

**Sent:** Monday, September 21, 2015 11:02 AM

**To:** Marilyn Smith <[m.smith@erllc.com](mailto:m.smith@erllc.com)>

**Cc:** Ostrander, David <[Ostrander.David@epa.gov](mailto:Ostrander.David@epa.gov)>; Mills, Bethany <[Mills.Bethany@epa.gov](mailto:Mills.Bethany@epa.gov)>;  
Way, Steven <[way.steven@epa.gov](mailto:way.steven@epa.gov)>; Buhl, Rick <[Buhl.Rick@epa.gov](mailto:Buhl.Rick@epa.gov)>

**Subject:** EPS81302, TO 77, GKM, Subcontract for interim water treatment plant

Marilyn,

Please provide the package for subcontract consent for my review and concurrence. We have decided to move forward with the interim water treatment plant.

Richard Braun

EPA Region 8

Contracting Officer

303-312-6380

[braun.richard@epa.gov](mailto:braun.richard@epa.gov)

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.